

3. PROCEDURE FOR WARRANTY SERVICE

Prior to returning any Product to Doty Belt, you must first contact Doty Belt, either by telephone to (916) 698-2551 or email gdoty@dotybelt.com to confirm that your Product is covered by the foregoing warranty. To do that, you may be required to produce a copy of the original receipt or other proof of purchase from Doty Belt. If such Product is covered, you must obtain from Doty Belt a return merchandise authorization ("RMA") number and shipping instructions prior to any shipment of such Product to Doty Belt, and include that MA number with any corresponding Product shipment.

Where a Product is not covered by the foregoing warranty, Doty Belt will agree to sell a replacement Product to you at a price discounted from the then-current list price for such Product, depending on how long you have owned the Product, as follows:

Product has been owned for less than six (6) months	Twenty-five percent (25%) discount
Product has been owned six months or more, but less than one (1) year	Twenty percent (20%) discount
Product has been owned for one year or more, but less than eighteen (18) months	Fifteen percent (15%) discount
Product has been around for eighteen (18) months or more	Ten percent (10%) discount

4. WARRANTY DISCLAIMER

THIS STATEMENT OF LIMITED WARRANTY IS THE SOLE WARRANTY MADE BY DOTY BELT WITH RESPECT TO PRODUCTS OR ANY MATTER WHATSOEVER. TO THE EXTENT PERMITTED BY LAW, DOTY BELT HEREBY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY OR NON INFRINGEMENT OF THIRD PARTY RIGHTS. SOME JURISDICTIONS DO NOT PERMIT THE DISCLAIMER OF CERTAIN WARRANTIES SO THE FOREGOING MAY NOT APPLY TO YOU.

5. RETURN

If you do not agree to the terms of this Statement of Limited Warranty, you may return the product of Doty Belt, unused and in its original packaging, within ten (10) days of purchase for a full refund.

If you have any questions about the product or this Statement of Limited Warranty, you may contact DotyBelt at:

Doty Belt, LLC
8260 Brianna Court
Sacramento, CA95829
Attention: Customer Service

Phone: (916) 698-2551
gdoty@dotybelt.com

DOTY BELT and the Doty Belt logo are trademarks of Doty Belt, LLC and may not be used without prior written permission.



DOTY BELT

PATIENT LIFT ASSIST HARNESS

Pro Model

DONNING INSTRUCTIONS
WARRANTY & RETURN POLICIES
USER INFORMATION



DOTY BELT, LLC
8260 Brianna Ct.
Sacramento, CA 95829
916-698-2551
WWW.DOTYBELT.COM

IMPORTANT USER INFORMATION - PLEASE READ AND SAVE

The Doty Belt/Lift Assist Harness give First Responders and Caregivers the ability to lift and move people without putting themselves in the position of possibly injuring their

The Doty Belt/Lift Assist Harness has the ability to lift and move people using the four handles on the waist portion of the Belt. If a harness is needed for lifting, release the leg loops, wrap around both legs secure through the double D-rings.

The Doty Belt/Harness can be used for:

1. Assisting a person while walking.
2. Lifting a person off the floor to a Bed, Gurney or Chair.
3. Sliding over to a hospital bed from a gurney.
4. Search and Rescue.



DONNING INSTRUCTIONS

STEP 1

Wrap the black belt portion around the waist.

STEP 2

Thread the end of the belt through the D-Ring on the belt. Do not tighten, keep slightly loose.

STEP 3

If legs straps are need, release the leg straps and wrap between the leg and around the hip, then secure through the double D-Rings.

STEP 4

Once the belt or harness looks centered, secure the waist belt, then secure the leg loops (all snug).

SAVE YOUR BACK - SAVE YOUR CAREER

WARNING

This is not a rappelling harness and should not be used as such.

INSPECTION

Inspect Doty Belt/Lift Assist Harness for frayed, cut or worn material. Buckles should look uniform with no cracks, chips or out of shape appearance. Look for excessive chaffing at the wear points; typically where the polyester webbing comes into contact with the metal.

REPAIR

Doty Belt requires that all repair work be done by the manufacturer. All other repair work or modifications may void the warranty and shall release Doty Belt, LLC from all liability and responsibility as the manufacturer.

MAINTENANCE / CLEANING

The Doty Belt Pro can be wiped down with a sanitizing agent. Use the cleaning agent per manufactures recommendations. The harness can also be clean with mild detergent. Clean and dry this equipment after each use to remove any dust, debris and moisture. Do not expose the belt to flame or high temperatures. Do not put in a dryer. Hang dry out of direct sunlight. Do not use bleach.

STATEMENT OF LIMITED WARRANTY

1. TERMS

Doty Belt, LLC ("Doty Belt*") hereby warrants to the end user purchaser ("you") of the Doty Belt Lift Assist Harness accompanying this Statement of Limited Warranty (the "Product") as follows: (a) with respect to a Product which is not coated with polyurethane, Doty Belt warrants that such Product shall materially conform to its accompanying documentation for as long you own the Product; (b) with respect to a Product which is coated with polyurethane, Doty Belt warrants that such Product shall materially conform to its accompanying documentation for as long as you own the Product, and also that such Product shall repel moisture in normal use for three (3) years from your date of purchase of that Product from Doty Belt. If any Product shall fail to materially conform to the foregoing warranty, you may return such Product to Doty Belt, at your expense, and Doty Belt shall, at its option, either repair such Product, or replace such Product with new or reconditioned Product. The foregoing describes Doty Belt's sole liability, and your sole remedy, for any breach of warranty.

2. WARRANTY EXCLUSIONS

The foregoing warranty does not cover and shall be void for defects or damages resulting from casualty, accident, misuse or abuse, neglect, alterations, service or repair by other than by Doty Belt or its independent third party service providers, improper use (including without limitation any use as a rappelling harness) or other causes not arising out of defects in the materials or workmanship of Products.